

抗體 買一送一

凡選購促銷清單內任一規格的腫瘤免疫學一抗，即可免費
獲贈清單內任一款工具類抗體最小規格(20 µL) 1支
活動期間:2026年9月1日—10月31日

Sino 為全球領先的單株抗體與重組蛋白供應商，目前提供 14,000+ 項一級抗體，包括特定位點抗體、多株抗體、標籤抗體、對照抗體、內參抗體、流式細胞抗體與免疫組織化學抗體等，全面支援訊息傳遞路徑、幹細胞研究、癌症免疫研究、代謝與訊息傳導路徑等生命科學研究領域。

腫瘤免疫學促銷清單 (部分)

超值
特惠

貨號	名稱	應用	規格
11976-MM34	Beta-2 microglobulin/B2M Antibody, Mouse MAb	WB,ELISA,ELISA(Det),IHC-P,FCM,ICC/IF	20.00 µL, 100.00 µL
10428-MM01	TROP2 / TACSTD2 Antibody, Mouse MAb	WB,ELISA,ELISA(Det),IHC-P,FCM,ICC/IF	20.00 µL, 100.00 µL
11028-MM21	CD7 Antibody, Mouse MAb	WB,IHC-P,FCM	100.00 µL
10738-T48	B7-H4 Antibody, Rabbit PAb, Antigen Affinity Purified	WB,ELISA	100.00 µL
11039-R020	N-Cadherin / CD325 / CDH2 Antibody, Rabbit MAb	WB,ELISA,FCM,ICC/IF	20.00 µL, 100.00 µL
11027-RP02	CD5 Antibody, Rabbit PAb, Antigen Affinity Purified	WB,ELISA,IHC-P,IP	100.00 µL
51004-T48	IL12B Antibody, Rabbit PAb, Antigen Affinity Purified	WB,ELISA	100.00 µL
10977-MM03	CD3e / CD3 Epsilon Antibody, Mouse MAb	WB,ELISA	20.00 µL,100.00 µL
10001-T48	EGFR Antibody, Rabbit PAb, Antigen Affinity Purified	WB,ELISA	20.00 µL,100.00 µL
68A087-XM01	MCM2 (2B5) Antibody, Mouse MAb	WB,IHC-P,FCM,ICC/IF,IP	20.00 µL,50.00 µL,100.00 µL
68A297-XM01	Nck Antibody, Mouse MAb	WB,IHC-P,FCM	20.00 µL,50.00 µL,100.00 µL
50922-R064	TROP-2 / TACSTD2 Antibody, Rabbit MAb	WB,ELISA	20.00 µL,100.00 µL
10148-T60	CD31/PECAM1 Antibody, Rabbit PAb, Antigen Affinity Purified	WB,ELISA,IHC-P,IP	100.00 µL
51065-T48	IL17 Antibody, Rabbit PAb, Antigen Affinity Purified	WB,ELISA	100.00 µL


工具類抗體促銷清單 (部分)

超值
特惠

貨號	名稱	應用	工具分類	規格
SSA021	Goat Anti-Mouse IgG Secondary Antibody	ELISA	二抗	20µg
SSA018	Goat Anti-Rabbit IgG Secondary Antibody	ELISA	二抗	20µg
SSA016	Goat Anti-Human IgG Secondary Antibody	ELISA	二抗	20µg
SSA007	Goat Anti-Mouse IgG Secondary Antibody (HRP)	ELISA, WB, IHC-P	二抗	20µg
SSA004	Goat Anti-Rabbit IgG Secondary Antibody (HRP)	WB, ELISA, IHC-P	二抗	20µg
SSA002	Goat Anti-Human IgG Secondary Antibody (HRP)	ELISA	二抗	20µg
68090-MM04	Mouse Anti-Human IgG Secondary Antibody, Mouse MAb	ELISA	二抗	20µg
105327-MM02T	His Tag Antibody, Mouse MAb	ELISA	標籤抗體	20µL
101290-T38	Anti-S-tag Antibody, Rabbit Pab, Antigen Affinity Purified	WB,ICC/IF,IP	標籤抗體	20µL
100233-MM01	Anti-DYKDDDDK (FLAG® epitope Tag) Antibody, Mouse MAb	ICC/IF	標籤抗體	20µL
100028-MM10	Anti-HA Tag Antibody, Mouse MAb	WB,ELISA,FCM,ICC/IF,IP	標籤抗體	20µL


本活動只針對終端使用者，活動最終解權歸亞旭生物科技所有

精品一級抗體驗證數據




Cat#: 68A330-XM01

Phospho-ERK1/2 (Tyr222, Tyr205) (1H4) Antibody, Mouse MAb
Immunohistochemistry analysis of paraffin-embedded Human Colon Carcinoma Tissue using Phospho-ERK1/2 (Tyr222/Tyr205) (1H4) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Cat#: 68A003-XM01


Recombinant Anti-DNAM-1/CD226 Antibody, Rabbit Monoclonal
Western blot analysis of CD226 in mouse spleen lysates using CD226 antibody.



Cat#: 11976-MM34

Anti-Beta-2 microglobulin Antibody, Mouse Monoclonal
Immunofluorescence staining of B2M in HeLa cells. Cells were fixed with 4% PFA, permeabilized with 0.1% Triton X-100 in PBS, blocked with 10% serum, and incubated with mouse anti-human B2M monoclonal antibody (dilution ratio 1:60) at 4°C overnight. Then cells were stained with the Alexa Fluor®488-conjugated Goat Anti-mouse IgG secondary antibody (green) and counterstained with DAPI (blue). Positive staining was localized to Cytoplasm and cell membrane.

工具類抗體驗證數據



Cat#: SSA004 Goat Anti-Rabbit IgG Secondary Antibody (HRP)—163篇文獻引用
Anti-beta-Actin chimeric rabbit monoclonal antibody (Cat#100166-MCR10) at 1:50000 dilution

Lane A: Jurkat Whole Cell Lysate Lane B: HeLa Whole Cell Lysate
Lane C: HepG2 Whole Cell Lysate Lane D: Mouse brain tissue lysate
Lane E: Mouse lung tissue lysate Lane F: Mouse kidney tissue lysate
Lane G: Rat brain tissue lysate Lane H: Rat lung tissue lysate
Lane I: Rat kidney tissue lysate


Lysates/proteins at 30 µg per lane.

Goat Anti-Rabbit IgG(HRP) (Cat#SSA004) at 1/5000 dilution
Secondary

Developed using the ECL technique.

Performed under reducing conditions.

Predicted band size: 42 kDa Observed band size: 42 kDa



© Sino Biological Inc. All rights reserved

Cat#: 11976-MM34

Anti-Beta-2 microglobulin Antibody, Mouse Monoclonal
Immunofluorescence staining of B2M in HeLa cells. Cells were fixed with 4% PFA, permeabilized with 0.1% Triton X-100 in PBS, blocked with 10% serum, and incubated with mouse anti-human B2M monoclonal antibody (dilution ratio 1:60) at 4°C overnight. Then cells were stained with the Alexa Fluor®488-conjugated Goat Anti-mouse IgG secondary antibody (green) and counterstained with DAPI (blue). Positive staining was localized to Cytoplasm and cell membrane.



TEL : 02-8866-3366

FAX : 02-2833-1789

Mail : info@abs-science.com.tw



Line ID:@asiabio